



SCCM Plug-in User Guide

Version 2.3

JAMF Software, LLC
© 2014 JAMF Software, LLC. All rights reserved.

JAMF Software has made all efforts to ensure that this guide is accurate.

JAMF Software
301 4th Ave S Suite 1075
Minneapolis, MN 55415
(612) 605-6625

Under the copyright laws, this publication may not be copied, in whole or in part, without the written consent of JAMF Software, LLC.

Casper Suite, the JAMF Software logo, the JAMF Software Server (JSS), the JSS Conduit, and the Recon Suite are trademarks of JAMF Software, LLC in the United States and other countries.

Microsoft and Visual C++ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

All other product and service names mentioned are the trademarks of their respective companies.

Release History

Version	Changes
v2.0	<ul style="list-style-type: none"> ▪ Added compatibility with the JSS Conduit v2.0. ▪ Decreased memory usage. ▪ Added the ability to export inventory information for secondary MAC addresses, additional disk partitions, and logical disk sizes. ▪ Fixed an issue that caused the SCCM plug-in to export inaccurate data for computers that don't have unique computer names in SCCM.
v2.1	<ul style="list-style-type: none"> ▪ Fixed an issue that caused the SCCM plug-in to create duplicate computer and mobile device records in SCCM. The issue was fixed by making the following changes: <ul style="list-style-type: none"> • The SCCM plug-in uses UDID as the value for the SMS unique identifier for computers. For mobile devices, a partial UDID is used. • The SCCM plug-in uses the serial number as the value for the hardware ID. • The <code>ClientInstalled</code> flag is set to 1, which allows for the default behavior for managing the active status and handling duplicates in Confirmation Manager. ▪ The SCCM plug-in now populates the hardware ID and domain name in SCCM, allowing computer records that were added using the SCCM plug-in to be successfully added to Microsoft's Service Center Service Manager (SCSM). ▪ The SCCM plug-in now populates both the computer operating system name and version in the "Operating System Name and Version" field in SCCM. ▪ Fixed an issue that prevented apostrophes (') from being included in names of computers and mobile devices that were added to SCCM using the SCCM plug-in.
v2.2	<ul style="list-style-type: none"> ▪ Added support for the JSS v9.0 or later. ▪ Fixed an issue that prevented the SCCM plug-in from exporting hardware information for iPads.
v2.21	Fixed an issue that prevented the hardware inventory for some computers and mobile devices from being reported in SCCM.
v2.3	Added support for the JSS v9.4 and exporting Android devices to SCCM.